# SAFETY DATA SHEET

# Cleanline Biological Laundry Liquid 5L

According to Regulation (EC) No 1907/2006, Annex II, as amended by Regulation (EU) No 453/2010

#### SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier	
Product name	Cleanline Biological Laundry Liquid 5L
Product number	800-246-4001
Container size	4 x 5 litres
1.2. Relevant identified uses o	f the substance or mixture and uses advised against
1.3. Details of the supplier of the	he safety data sheet
Supplier	PRIME SOURCE P O BOX 15247 BIRMINGHAM B22 3HN 0121 328 6740 inf@prime-source.co.uk
Contact person	For content of safety data sheet:,sds@coventrychemicals.com
1.4. Emergency telephone nur	nber
Emergency telephone	+44 (0) 1865407333 (Strictly for emergencies only: incidents involving damage to human health and/or the environment)
SECTION 2: Hazards identification	ation
2.1. Classification of the subst	ance or mixture
Classification	
Physical hazards	Not Classified
Health hazards	Eye Dam. 1 - H318
Environmental hazards	Not Classified
Classification (67/548/EEC or 1999/45/EC)	-
2.2. Label elements	
Pictogram	
Signal word	Danger
Hazard statements	H318 Causes serious eye damage.
Precautionary statements	P280 Wear protective gloves/protective clothing/eye protection/face protection. P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P337+P313 If eye irritation persists: Get medical advice/attention.
Contains	ISOTRIDECANOL, ETHOXYLATED, ALCOHOLS C12-14 ETHOXYLATED, ALCOHOLS, C12-14, ETHOXYLATED < 2.5 EO, SULFATES, SODIUM SALTS

## 2.3. Other hazards

This product does not contain any substances classified as PBT or vPvB.

3.2. Mixtures			
ISOTRIDECANOL, ETHOXYLATED			5-10%
CAS number: 69011-36-5	EC number: 931-138-8	REACH registration number: 01- 2119976362-32-XXXX	
<b>Classification</b> Eye Dam. 1 - H318		assification (67/548/EEC or 1999/45/EC) ;R22. Xi;R41.	
ALCOHOLS, C12-14, ETHOXYLATED			1-5%
CAS number: 68439-50-9	EC number: 500-213-3	REACH registration number: 01- 2119487984-16-XXXX	
M factor (Acute) = 1			
<b>Classification</b> Eye Dam. 1 - H318 Aquatic Acute 1 - H400 Aquatic Chronic 3 - H412		assification (67/548/EEC or 1999/45/EC) R41. N;R50.	
ALCOHOLS, C12-14, ETHOXYLATED SULFATES, SODIUM SALTS	< 2.5 EO,		1-5%
CAS number: 68891-38-3	EC number: 500-234-8	REACH registration number: 01- 2119488639-16-XXXX	
<b>Classification</b> Skin Irrit. 2 - H315 Eye Dam. 1 - H318		assification (67/548/EEC or 1999/45/EC) R38,R41.	
			<19
BRONOPOL (INN)	EC number: 200-143-0	REACH registration number: 01- 2119980938-15-XXXX	.,
BRONOPOL (INN) CAS number: 52-51-7			
. ,			

SECTION 4: First aid measures

#### 4.1. Description of first aid measures

General information	SPEED IS ESSENTIAL. OBTAIN IMMEDIATE MEDICAL ATTENTION. Showers and eye washing equipment must be provided at handling points.
Inhalation	Remove affected person from source of contamination. Keep affected person warm and at rest. Get medical attention immediately. For breathing difficulties, oxygen may be necessary.
Ingestion	Never give anything by mouth to an unconscious person. Rinse mouth thoroughly with water. Give plenty of water to drink. DO NOT induce vomiting. Get medical attention immediately.
Skin contact	Remove affected person from source of contamination. Remove contaminated clothing. Wash skin thoroughly with soap and water. Get medical attention promptly if symptoms occur after washing.
Eye contact	Remove affected person from source of contamination. Remove any contact lenses and open eyelids wide apart. Continue to rinse for at least 15 minutes. Get medical attention immediately. Continue to rinse.
Protection of first aiders	First aid personnel should wear appropriate protective equipment during any rescue.
4.2. Most important symptoms	and effects, both acute and delayed
General information	The severity of the symptoms described will vary dependent on the concentration and the length of exposure. Chemical burns must be treated by a physician. Get medical attention immediately.
Inhalation	Severe irritation of nose and throat. May cause an asthma-like shortness of breath.
Ingestion	Will immediately cause corrosion of, and damage to, the gastrointestinal tract.
Skin contact	May cause serious chemical burns to the skin.
Eye contact	May cause severe inflammation, corneal ulcers and permanent impairment of vision.
4.3. Indication of any immedia	te medical attention and special treatment needed
Notes for the doctor	Remove contaminated clothing and wash all affected areas with plenty of water. Symptomatic treatment and supportive therapy as indicated.
SECTION 5: Firefighting meas	sures
5.1. Extinguishing media	
Suitable extinguishing media	The product is not flammable. Use fire-extinguishing media suitable for the surrounding fire. Foam, carbon dioxide or dry powder.
5.2. Special hazards arising fro	om the substance or mixture
Specific hazards	Contact with some metals eg. aluminium, zinc can produce flammable hydrogen.gas. Exothermic reaction with water.
5.3. Advice for firefighters	
Protective actions during firefighting	Control run-off water by containing and keeping it out of sewers and watercourses.
Special protective equipment for firefighters	Wear positive-pressure self-contained breathing apparatus (SCBA) and appropriate protective clothing.
SECTION 6: Accidental releas	e measures
6.1. Personal precautions, pro	tective equipment and emergency procedures
Personal precautions	Wear protective clothing as described in Section 8 of this safety data sheet.
6.2. Environmental precaution	<u>S</u>
En incomponiel and continue	Avoid or minimize the greation of any environmental contamination

**Environmental precautions** Avoid or minimise the creation of any environmental contamination.

#### 6.3. Methods and material for containment and cleaning up

Methods for cleaning up Do not touch or walk into spilled material. Stop leak if possible without risk. Absorb in vermiculite, dry sand or earth and place into containers. Flush contaminated area with plenty of water.

#### 6.4. Reference to other sections

Reference to other sections	For waste disposal, see Section 13. See Section 11 for additional information on health
	hazards. See Section 1 for emergency contact information.

#### SECTION 7: Handling and storage

#### 7.1. Precautions for safe handling

# Usage precautionsAvoid spilling. Avoid contact with skin and eyes. Avoid the formation of mists. Provide<br/>adequate ventilation. Read and follow manufacturer's recommendations. Wear protective<br/>clothing as described in Section 8 of this safety data sheet. Never add water directly to this<br/>product as it may cause a vigorous reaction or boiling. Always dilute by carefully pouring the<br/>product into water.Advice on generalGood personal hygiene procedures should be implemented. Do not eat, drink or smoke when

 

 Advice on general
 Good personal hygiene procedures should be implemented. Do not eat, drink or smoke when using this product. Wash hands thoroughly after handling. Eye wash facilities and emergency shower must be available when handling this product. Wash promptly with soap and water if skin becomes contaminated. Take off immediately all contaminated clothing and wash it before reuse.

#### 7.2. Conditions for safe storage, including any incompatibilities

Storage precautionsStore in tightly-closed, original container in a well-ventilated place. Store away from the<br/>following materials: Acids.

Storage class Corrosive storage.

## 7.3. Specific end use(s)

**Specific end use(s)** The identified uses for this product are detailed in Section 1.2.

#### SECTION 8: Exposure Controls/personal protection

#### 8.1. Control parameters

#### ALCOHOLS, C12-14, ETHOXYLATED (CAS: 68439-50-9)

DNEL	Workers - Inhalation; Long term systemic effects: 294 mg/m <sup>3</sup> Workers - Dermal; Long term systemic effects: 2080 mg/kg/day General population - Inhalation; Long term systemic effects: 87 mg/m <sup>3</sup> General population - Dermal; Long term systemic effects: 1250 mg/kg/day General population - Oral; Long term systemic effects: 25 mg/kg/day
PNEC	<ul> <li>Fresh water; 0.0437 mg/l</li> <li>Intermittent release; 0.004 mg/l</li> <li>STP; 10 mg/l</li> <li>Sediment (Freshwater); 31 mg/kg</li> <li>Sediment (Marinewater); 31 mg/kg</li> <li>Soil; 1 mg/kg</li> </ul>

#### ALCOHOLS, C12-14, ETHOXYLATED < 2.5 EO, SULFATES, SODIUM SALTS (CAS: 68891-38-3)

DNEL	Workers - Dermal; Long term systemic effects: 2750 mg/kg/day Workers - Inhalation; Long term systemic effects: 175 mg/m <sup>3</sup> Consumer - Oral; Long term systemic effects: 15 mg/kg/day Consumer - Dermal; Long term systemic effects: 1650 mg/kg/day Consumer - Inhalation; Long term systemic effects: 52 mg/m <sup>3</sup>
PNEC	<ul> <li>Fresh water; 0.24 mg/l</li> <li>Marine water; 0.024 mg/l</li> <li>Intermittent release; 0.071 mg/l</li> <li>Sediment, Fresh water; 5.45 mg/kg</li> <li>Sediment, Marine water; 0.545 mg/kg</li> <li>Soil; 0.946 mg/kg</li> <li>STP; 10,000 mg/l</li> </ul>
DNEL	General population - Oral; Long term systemic effects: 25 mg/kg/day General population - Inhalation; Long term local effects: 0.6 mg/m <sup>3</sup> General population - Inhalation; Short term local effects: 1.2 mg/m <sup>3</sup> Workers - Inhalation; Long term local effects: 1.5 mg/m <sup>3</sup> Workers - Inhalation; Short term local effects: 3 mg/m <sup>3</sup>
PNEC	<ul> <li>Fresh water; 2.2 mg/l</li> <li>Marine water; 0.22 mg/l</li> <li>Intermittent release; 1.2 mg/l</li> <li>STP; 43 mg/l</li> <li>Soil; 0.72 mg/kg</li> </ul>
	VIOBRITE CBS (CAS: 27344-41-8)
DNEL	Workers - Inhalation; Long term systemic effects: 20.5 mg/m <sup>3</sup> Workers - Dermal; Long term systemic effects: 53 mg/kg/day General population - Inhalation; Long term systemic effects: 3.4 mg/m <sup>3</sup> General population - Dermal; Long term systemic effects: 19 mg/kg/day General population - Oral; Long term systemic effects: 1.9 mg/kg/day
	BRONOPOL (INN) (CAS: 52-51-7)
DNEL	Workers - Inhalation; Long term systemic effects: 4.1 mg/m³ Workers - Dermal; Long term systemic effects: 2.3 mg/kg/day General population - Inhalation; Long term systemic effects: 1.2 mg/m³
PNEC	<ul> <li>Fresh water; 0.01 mg/l</li> <li>Marine water; 0.008 mg/l</li> <li>Intermittent release; 0.0025 mg/l</li> <li>STP; 0.43 mg/l</li> <li>Sediment (Freshwater); 0.041 mg/kg</li> <li>Sediment (Marinewater); 0.00328 mg/kg</li> <li>Soil; 0.5 mg/kg</li> </ul>
8.2. Exposure controls	

# Protective equipment



Appropriate engineering controls	Provide adequate ventilation. Avoid inhalation of vapours. Observe any occupational exposure limits for the product or ingredients.
Eye/face protection	Wear tight-fitting, chemical splash goggles or face shield.
Hand protection	Wear protective gloves. Neoprene. Nitrile rubber. Polyethylene. Polyvinyl chloride (PVC).
Other skin and body protection	Wear appropriate clothing to prevent any possibility of skin contact.
Hygiene measures	Provide eyewash station and safety shower. Wash hands at the end of each work shift and before eating, smoking and using the toilet. Wash promptly if skin becomes contaminated. Promptly remove any clothing that becomes contaminated.
Respiratory protection	No specific recommendations. Respiratory protection must be used if the airborne contamination exceeds the recommended occupational exposure limit. Particulate filter, type P2. Particulate filters should comply with European Standard EN143.
Environmental exposure controls	Users should be aware of environmental considerations and their duties under the environmental protection act. Further information may be found on Government websites: www.dti.gov.uk/access/index/htm and www.envirowise.gov.uk.

## SECTION 9: Physical and Chemical Properties

## 9.1. Information on basic physical and chemical properties

Appearance	Liquid.
Odour threshold	Not applicable.
рН	pH (concentrated solution): 9.5-10.6
Melting point	Not applicable.
Initial boiling point and range	Not applicable.
Flash point	Not applicable.
Evaporation rate	Not determined.
Evaporation factor	Not applicable.
Vapour pressure	Not determined.
Vapour density	Not determined.
Relative density	1.000-1.010
Bulk density	Not applicable.
Solubility(ies)	Soluble in water.
Partition coefficient	Not determined.
Auto-ignition temperature	Not applicable.
Decomposition Temperature	Not applicable.
Viscosity	350-500 @ 20°C
Explosive properties	Not applicable
Explosive under the influence of a flame	Not considered to be explosive.
Oxidising properties	Not applicable.
Comments	Information given is applicable to the product as supplied.

9.2. Other information	
Other information	Not relevant.
Refractive index	10-12
SECTION 10: Stability and rea	activity
10.1. Reactivity	
Reactivity	Reactions with the following materials may generate heat: Water. Strong acids. Highly reactive with aluminium, tin, zinc and alloys of these metals producing flammable hydrogen gas.
10.2. Chemical stability	
Stability	Stable at normal ambient temperatures.
10.3. Possibility of hazardous	reactions
Possibility of hazardous reactions	Can react violently if in contact with acids and chloro-hydrocarbons. Exothermic reaction with water.
10.4. Conditions to avoid	
Conditions to avoid	Avoid excessive heat for prolonged periods of time.
10.5. Incompatible materials	
Materials to avoid	Acids. Ammonia solution. Chlorinated hydrocarbons. Aluminium. Zinc.
10.6. Hazardous decomposition	on products
Hazardous decomposition products	Hydrogen.
SECTION 11: Toxicological in	formation
11.1. Information on toxicolog	ical effects
Toxicological effects	No information available.
Other health effects	There is no evidence that the product can cause cancer.
General information	Danger of very serious irreversible effects in contact with skin, in contact with eyes and if swallowed.
Inhalation	Spray/mists may cause respiratory tract irritation. A single exposure may cause the following adverse effects: Coughing. Difficulty in breathing. May cause damage to mucous membranes in nose, throat, lungs and bronchial system.
Ingestion	May cause burns in mucous membranes, throat, oesophagus and stomach.
Skin contact	May cause serious chemical burns to the skin. Repeated exposure may cause skin dryness or cracking.
Eye contact	Causes burns. A single exposure may cause the following adverse effects: Corneal damage. Contact with concentrated chemical may very rapidly cause severe eye damage, possibly loss

SECTION 12: Ecological Information

#### Ecotoxicity

There are no data on the ecotoxicity of this product.

12.1. Toxicity

Toxicity	Concentrations greater that 10ppm or ph value greater than 10.5 may be fatal to fish and other aquatic organisms.
Acute toxicity - aquatic plants	Can cause damage to aquatic plants.
Acute toxicity - terrestrial	Can cause damage to vegetation.
12.2. Persistence and degrada	ability
Persistence and degradability	Degrades readily by reaction with the natural carbon dioxide in the air.
12.3. Bioaccumulative potentia	al
Bioaccumulative potential	The product is not bioaccumulating.
Partition coefficient	Not determined.
12.4. Mobility in soil	
Mobility	The product is water-soluble and may spread in water systems.
12.5. Results of PBT and vPvI	3 assessment
Results of PBT and vPvB assessment	This product does not contain any substances classified as PBT or vPvB.
12.6. Other adverse effects	
SECTION 13: Disposal consid	erations
13.1. Waste treatment method	ls
General information	Waste is classified as hazardous waste. Dispose of waste to licensed waste disposal site in accordance with the requirements of the local Waste Disposal Authority. When handling waste, the safety precautions applying to handling of the product should be considered.
Disposal methods	Dispose of via an authorised and appropriately licensed waste contractor. Packaging is recyclable. Wash out containers with water before disposal.
Waste class	EWC Code: 06 02 04
SECTION 14: Transport inform	nation
Road transport notes	Not classified.
Rail transport notes	Not classified.
Sea transport notes	Not classified.
Air transport notes	Not classified.
	Not classified.
<u>14.1. UN number</u> 14.2. UN proper shipping nam	e
14.3. Transport hazard class(e	_
14.4. Packing group	<u></u>
14.5. Environmental hazards	
14.6. Special precautions for u	ISEL
14.7. Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code	
SECTION 15: Regulatory infor	mation
15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture	

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

National regulations	The Control of Substances Hazardous to Health Regulations 2002 (SI 2002 No. 2677) (as amended). Control of Pollution (Special Waste) Regulations 1980 (as amended). The Carriage of Dangerous Goods and Use of Transportable Pressure Equipment Regulations 2009 (SI 2009 No. 1348) (as amended) ["CDG 2009"]. EH40/2005 Workplace exposure limits. The Hazardous Waste Regulations 2005.
EU legislation	<ul> <li>Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18</li> <li>December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH) (as amended).</li> <li>Regulation (EU) No 453/2010 of 20 May 2010 amending Regulation (EC) 1907/2006, Waste Material Code 91/689/EEC</li> <li>Commission Directive 2000/39/EC of 8 June 2000 establishing a first list of indicative occupational exposure limit values in implementation of Council Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work (as amended).</li> <li>Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16</li> <li>December 2008 on classification, labelling and packaging of substances and mixtures (as amended).</li> </ul>
Guidance	Technical Guidance WM2: Hazardous Waste. COSHH Essentials. ECHA Guidance on the Application of the CLP Criteria. ECHA Guidance on the compilation of safety data sheets. Workplace Exposure Limits EH40.

## 15.2. Chemical safety assessment

Currently we do not have information from our suppliers about this.

## SECTION 16: Other information

Abbreviations and acronyms used in the safety data sheet	STOT Specific Target Organ Toxicity PBT Persistant Bio-accumulative and Toxic vPvB very Persistent, very Bio-accumulative EWC European Waste Catalogue PNEC Predicted No Effect Concentration DNEL Derived No Effect Level
General information	Only trained personnel should use this material.
Revision date	22/03/2016
Revision	1
SDS number	21250
Hazard statements in full	<ul> <li>H302 Harmful if swallowed.</li> <li>H312 Harmful in contact with skin.</li> <li>H315 Causes skin irritation.</li> <li>H318 Causes serious eye damage.</li> <li>H335 May cause respiratory irritation.</li> <li>H400 Very toxic to aquatic life.</li> <li>H411 Toxic to aquatic life with long lasting effects.</li> <li>H412 Harmful to aquatic life with long lasting effects.</li> </ul>