

SAFETY DATA SHEET

CLEANLINE CABINET GLASSWASH 5 L

According to Regulation (EC) No 1907/2006, Annex II, as amended by Regulation (EU) No 453/2010

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product name CLEANLINE CABINET GLASSWASH 5 L
Product number 800-236-4003
Container size 4 x 5 litres

1.2. Relevant identified uses of the substance or mixture and uses advised against

Identified uses Machine glass washing detergent.
Uses advised against DO NOT use for hand glass washing.

1.3. Details of the supplier of the safety data sheet

Supplier PRIME SOURCE
P O BOX 15247
BIRMINGHAM
B22 3HN
0121 328 6740
inf@prime-source.co.uk

Contact person For content of safety data sheet: sds@coventrychemicals.com

1.4. Emergency telephone number

Emergency telephone +44 (0) 1865407333 (Strictly for emergencies only: incidents involving damage to human health and/or the environment)

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification

Physical hazards Not Classified
Health hazards Skin Corr. 1B - H314 Eye Dam. 1 - H318
Environmental hazards Not Classified

Classification (67/548/EEC or 1999/45/EC) C;R34.

2.2. Label elements

Pictogram



Signal word Danger
Hazard statements H314 Causes severe skin burns and eye damage.

CLEANLINE CABINET GLASSWASH 5 L

Precautionary statements	<p>P260 Do not breathe vapour/spray.</p> <p>P264 Wash contaminated skin thoroughly after handling.</p> <p>P301+P330+P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.</p> <p>P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.</p> <p>P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.</p> <p>P337+P313 If eye irritation persists: Get medical advice/attention.</p>
Contains	TETRASODIUM ETHYLENE DIAMINE TETRAACETATE, SODIUM HYDROXIDE
Detergent labelling	5 - < 15% EDTA and salts thereof
Supplementary precautionary statements	<p>P405 Store locked up.</p> <p>P501 Dispose of contents/container in accordance with national regulations.</p>

2.3. Other hazards

This product does not contain any substances classified as PBT or vPvB.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

TETRASODIUM ETHYLENE DIAMINE TETRAACETATE 5-10%		
CAS number: 64-02-8	EC number: 200-573-9	REACH registration number: 01-2119486762-27-XXXX
Classification Acute Tox. 4 - H302 Eye Dam. 1 - H318	Classification (67/548/EEC or 1999/45/EC) Xn;R22 Xi;R41	
SODIUM HYDROXIDE 1-5%		
CAS number: 1310-73-2	EC number: 215-185-5	REACH registration number: 01-2119457892-27-XXXX
Classification Met. Corr. 1 - H290 Skin Corr. 1A - H314 Eye Dam. 1 - H318	Classification (67/548/EEC or 1999/45/EC) C;R35	
TRISODIUM NITRILOTRIACETATE <1%		
CAS number: 5064-31-3	EC number: 225-768-6	REACH registration number: 01-2119519239-36-XXXX
Classification Acute Tox. 4 - H302 Eye Irrit. 2 - H319 Carc. 2 - H351	Classification (67/548/EEC or 1999/45/EC) Carc. Cat. 3;R40 Xn;R22 Xi;R36	

The Full Text for all R-Phrases and Hazard Statements are Displayed in Section 16.

SECTION 4: First aid measures

4.1. Description of first aid measures

CLEANLINE CABINET GLASSWASH 5 L

General information	SPEED IS ESSENTIAL. OBTAIN IMMEDIATE MEDICAL ATTENTION. Showers and eye washing equipment must be provided at handling points.
Inhalation	Remove affected person from source of contamination. Keep affected person warm and at rest. Get medical attention immediately. For breathing difficulties, oxygen may be necessary.
Ingestion	Never give anything by mouth to an unconscious person. Rinse mouth thoroughly with water. Give plenty of water to drink. DO NOT induce vomiting. Get medical attention immediately.
Skin contact	Remove affected person from source of contamination. Remove contaminated clothing. Wash skin thoroughly with soap and water. Get medical attention promptly if symptoms occur after washing.
Eye contact	Remove affected person from source of contamination. Remove any contact lenses and open eyelids wide apart. Continue to rinse for at least 15 minutes. Get medical attention immediately. Continue to rinse.
Protection of first aiders	First aid personnel should wear appropriate protective equipment during any rescue.

4.2. Most important symptoms and effects, both acute and delayed

General information	The severity of the symptoms described will vary dependent on the concentration and the length of exposure. Chemical burns must be treated by a physician. Get medical attention immediately.
Inhalation	Severe irritation of nose and throat. May cause an asthma-like shortness of breath.
Ingestion	Will immediately cause corrosion of, and damage to, the gastrointestinal tract.
Skin contact	May cause serious chemical burns to the skin.
Eye contact	May cause severe inflammation, corneal ulcers and permanent impairment of vision.

4.3. Indication of any immediate medical attention and special treatment needed

Notes for the doctor	Remove contaminated clothing and wash all affected areas with plenty of water. Symptomatic treatment and supportive therapy as indicated.
-----------------------------	---

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media	The product is not flammable. Use fire-extinguishing media suitable for the surrounding fire. Foam, carbon dioxide or dry powder.
-------------------------------------	---

5.2. Special hazards arising from the substance or mixture

Specific hazards	Contact with some metals eg. aluminium, zinc can produce flammable hydrogen gas. Exothermic reaction with water.
-------------------------	--

5.3. Advice for firefighters

Protective actions during firefighting	Control run-off water by containing and keeping it out of sewers and watercourses.
Special protective equipment for firefighters	Wear positive-pressure self-contained breathing apparatus (SCBA) and appropriate protective clothing.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions	Wear protective clothing as described in Section 8 of this safety data sheet.
-----------------------------	---

6.2. Environmental precautions

Environmental precautions	Avoid or minimise the creation of any environmental contamination.
----------------------------------	--

CLEANLINE CABINET GLASSWASH 5 L

6.3. Methods and material for containment and cleaning up

Methods for cleaning up Do not touch or walk into spilled material. Stop leak if possible without risk. Absorb in vermiculite, dry sand or earth and place into containers. Flush contaminated area with plenty of water.

6.4. Reference to other sections

Reference to other sections For waste disposal, see Section 13. See Section 11 for additional information on health hazards. See Section 1 for emergency contact information.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Usage precautions Avoid spilling. Avoid contact with skin and eyes. Avoid the formation of mists. Provide adequate ventilation. Read and follow manufacturer's recommendations. Wear protective clothing as described in Section 8 of this safety data sheet. Never add water directly to this product as it may cause a vigorous reaction or boiling. Always dilute by carefully pouring the product into water.

Advice on general occupational hygiene Good personal hygiene procedures should be implemented. Do not eat, drink or smoke when using this product. Wash hands thoroughly after handling. Eye wash facilities and emergency shower must be available when handling this product. Wash promptly with soap and water if skin becomes contaminated. Take off immediately all contaminated clothing and wash it before reuse.

7.2. Conditions for safe storage, including any incompatibilities

Storage precautions Store in tightly-closed, original container in a well-ventilated place. Store away from the following materials: Acids.

Storage class Corrosive storage.

7.3. Specific end use(s)

Specific end use(s) The identified uses for this product are detailed in Section 1.2.

SECTION 8: Exposure Controls/personal protection

8.1. Control parameters

Occupational exposure limits

SODIUM HYDROXIDE

Long-term exposure limit (8-hour TWA): WEL

Short-term exposure limit (15-minute): WEL 2 mg/m³

WEL = Workplace Exposure Limit

TETRASODIUM ETHYLENE DIAMINE TETRAACETATE (CAS: 64-02-8)

DNEL	General population - Oral; Long term systemic effects: 25 mg/kg/day General population - Inhalation; Long term local effects: 0.6 mg/m ³ General population - Inhalation; Short term local effects: 1.2 mg/m ³ Workers - Inhalation; Long term local effects: 1.5 mg/m ³ Workers - Inhalation; Short term local effects: 3 mg/m ³
PNEC	- Fresh water; 2.2 mg/l - Marine water; 0.22 mg/l - Intermittent release; 1.2 mg/l - STP; 43 mg/l - Soil; 0.72 mg/kg

CLEANLINE CABINET GLASSWASH 5 L

SODIUM HYDROXIDE (CAS: 1310-73-2)

DNEL

Industry - Inhalation; Long term local effects: 1.0 mg/m³

Consumer - Inhalation; Long term local effects: 1.0 mg/m³

8.2. Exposure controls

Protective equipment



Appropriate engineering controls

Provide adequate ventilation. Avoid inhalation of vapours. Observe any occupational exposure limits for the product or ingredients.

Eye/face protection

Wear tight-fitting, chemical splash goggles or face shield.

Hand protection

Wear protective gloves. Neoprene. Nitrile rubber. Polyethylene. Polyvinyl chloride (PVC).

Other skin and body protection

Wear appropriate clothing to prevent any possibility of skin contact.

Hygiene measures

Provide eyewash station and safety shower. Wash hands at the end of each work shift and before eating, smoking and using the toilet. Wash promptly if skin becomes contaminated. Promptly remove any clothing that becomes contaminated.

Respiratory protection

No specific recommendations. Respiratory protection must be used if the airborne contamination exceeds the recommended occupational exposure limit. Particulate filter, type P2. Particulate filters should comply with European Standard EN143.

Environmental exposure controls

Users should be aware of environmental considerations and their duties under the environmental protection act. Further information may be found on Government websites: www.dti.gov.uk/access/index/htm and www.envirowise.gov.uk.

SECTION 9: Physical and Chemical Properties

9.1. Information on basic physical and chemical properties

Appearance	Liquid.
Colour	Colourless.
Odour	No characteristic odour.
Odour threshold	Not applicable.
pH	pH (concentrated solution): >13
Melting point	Not applicable.
Initial boiling point and range	Not applicable.
Flash point	Not applicable.
Evaporation rate	Not determined.
Evaporation factor	Not applicable.
Vapour pressure	Not determined.
Vapour density	Not determined.
Relative density	1.100 TYPICALLY @ 20°C
Bulk density	Not applicable.

CLEANLINE CABINET GLASSWASH 5 L

Solubility(ies)	Soluble in water.
Partition coefficient	Not determined.
Auto-ignition temperature	Not applicable.
Decomposition Temperature	Not applicable.
Viscosity	Not determined.
Explosive properties	Not applicable
Explosive under the influence of a flame	Not considered to be explosive.
Oxidising properties	Not applicable.
Comments	Information given is applicable to the product as supplied.

9.2. Other information

Other information	Not relevant.
--------------------------	---------------

SECTION 10: Stability and reactivity

10.1. Reactivity

Reactivity	Reactions with the following materials may generate heat: Water. Strong acids. Highly reactive with aluminium, tin, zinc and alloys of these metals producing flammable hydrogen gas.
-------------------	---

10.2. Chemical stability

Stability	Stable at normal ambient temperatures.
------------------	--

10.3. Possibility of hazardous reactions

Possibility of hazardous reactions	Can react violently if in contact with acids and chloro-hydrocarbons. Exothermic reaction with water.
---	---

10.4. Conditions to avoid

Conditions to avoid	Avoid excessive heat for prolonged periods of time.
----------------------------	---

10.5. Incompatible materials

Materials to avoid	Acids. Ammonia solution. Chlorinated hydrocarbons. Aluminium. Zinc.
---------------------------	---

10.6. Hazardous decomposition products

Hazardous decomposition products	Hydrogen.
---	-----------

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Toxicological effects	No information available.
Other health effects	There is no evidence that the product can cause cancer.
Acute toxicity - oral	
Notes (oral LD₅₀)	Estimated value. Calculated from ingredient data.
ATE oral (mg/kg)	15,891.76174642

CLEANLINE CABINET GLASSWASH 5 L

General information	Danger of very serious irreversible effects in contact with skin, in contact with eyes and if swallowed.
Inhalation	Spray/mists may cause respiratory tract irritation. A single exposure may cause the following adverse effects: Coughing. Difficulty in breathing. May cause damage to mucous membranes in nose, throat, lungs and bronchial system.
Ingestion	May cause burns in mucous membranes, throat, oesophagus and stomach.
Skin contact	May cause serious chemical burns to the skin. Repeated exposure may cause skin dryness or cracking.
Eye contact	Causes burns. A single exposure may cause the following adverse effects: Corneal damage. Contact with concentrated chemical may very rapidly cause severe eye damage, possibly loss of sight.

Toxicological information on ingredients.

TETRASODIUM ETHYLENE DIAMINE TETRAACETATE

Acute toxicity - oral

Acute toxicity oral (LD₅₀ mg/kg) 1,780.0

Species Rat

ATE oral (mg/kg) 1,780.0

SODIUM HYDROXIDE

Acute toxicity - oral

Acute toxicity oral (LD₅₀ mg/kg) 2,000.0

Species Rat

ATE oral (mg/kg) 2,000.0

SECTION 12: Ecological Information

Ecotoxicity There are no data on the ecotoxicity of this product.

12.1. Toxicity

Toxicity Concentrations greater than 10ppm or pH value greater than 10.5 may be fatal to fish and other aquatic organisms.

Acute toxicity - aquatic plants Can cause damage to aquatic plants.

Acute toxicity - terrestrial Can cause damage to vegetation.

12.2. Persistence and degradability

Persistence and degradability Degrades readily by reaction with the natural carbon dioxide in the air.

12.3. Bioaccumulative potential

Bioaccumulative potential The product is not bioaccumulating.

Partition coefficient Not determined.

12.4. Mobility in soil

Mobility The product is water-soluble and may spread in water systems.

CLEANLINE CABINET GLASSWASH 5 L

12.5. Results of PBT and vPvB assessment

Results of PBT and vPvB assessment This product does not contain any substances classified as PBT or vPvB.

12.6. Other adverse effects

SECTION 13: Disposal considerations

13.1. Waste treatment methods

General information Waste is classified as hazardous waste. Dispose of waste to licensed waste disposal site in accordance with the requirements of the local Waste Disposal Authority. When handling waste, the safety precautions applying to handling of the product should be considered.

Disposal methods Dispose of via an authorised and appropriately licensed waste contractor. Packaging is recyclable. Wash out containers with water before disposal.

Waste class EWC Code: 06 02 04

SECTION 14: Transport information

Road transport notes Not classified.

Rail transport notes Not classified.

Sea transport notes Not classified.

Air transport notes Not classified.

14.1. UN number

UN No. (ADR/RID) 1719

UN No. (IMDG) 1719

UN No. (ICAO) 1719

14.2. UN proper shipping name

Proper shipping name (ADR/RID) CAUSTIC ALKALI LIQUID N.O.S (CONTAINS SODIUM HYDROXIDE)

Proper shipping name (IMDG) CAUSTIC ALKALI LIQUID N.O.S (CONTAINS SODIUM HYDROXIDE)

Proper shipping name (ICAO) CAUSTIC ALKALI LIQUID N.O.S (CONTAINS SODIUM HYDROXIDE)

Proper shipping name (ADN) CAUSTIC ALKALI LIQUID N.O.S (CONTAINS SODIUM HYDROXIDE)

14.3. Transport hazard class(es)

ADR/RID class 8

ADR/RID label 8

IMDG class 8

ICAO class/division 8

Transport labels



14.4. Packing group

CLEANLINE CABINET GLASSWASH 5 L

ADR/RID packing group II

IMDG packing group II

ICAO packing group II

14.5. Environmental hazards

Environmentally hazardous substance/marine pollutant

No.

14.6. Special precautions for user

EmS F-A, S-B

Emergency Action Code 2R

Hazard Identification Number 80
(ADR/RID)

14.7. Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code

Transport in bulk according to Not applicable.

Annex II of MARPOL 73/78
and the IBC Code

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

National regulations The Control of Substances Hazardous to Health Regulations 2002 (SI 2002 No. 2677) (as amended).
Environmental Protection Act 1990.
The Hazardous Waste Regulations 2005.
EH40/2005 Workplace exposure limits.
The Carriage of Dangerous Goods and Use of Transportable Pressure Equipment Regulations 2009 (SI 2009 No. 1348) (as amended) ["CDG 2009"].

EU legislation Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH) (as amended).
Regulation (EU) No 453/2010 of 20 May 2010 amending Regulation (EC) 1907/2006, Waste Material Code 91/689/EEC
Commission Decision 2000/532/EC as amended by Decision 2001/118/EC establishing a list of wastes and hazardous waste pursuant to Council Directive 75/442/EEC on waste and Directive 91/689/EEC on hazardous waste with amendments.
Commission Directive 2000/39/EC of 8 June 2000 establishing a first list of indicative occupational exposure limit values in implementation of Council Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work (as amended).
Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16 December 2008 on classification, labelling and packaging of substances and mixtures (as amended).

Guidance Workplace Exposure Limits EH40.
Technical Guidance WM2: Hazardous Waste.
COSHH Essentials.
ECHA Guidance on the Application of the CLP Criteria.
ECHA Guidance on the compilation of safety data sheets.

15.2. Chemical safety assessment

A Chemical Safety Assessment (CSA) has been completed for Sodium hydroxide.

CLEANLINE CABINET GLASSWASH 5 L

SECTION 16: Other information

Abbreviations and acronyms used in the safety data sheet	STOT Specific Target Organ Toxicity PBT Persistent Bio-accumulative and Toxic vPvB very Persistent, very Bio-accumulative EWC European Waste Catalogue PNEC Predicted No Effect Concentration DNEL Derived No Effect Level
General information	Only trained personnel should use this material.
Revision date	22/03/2016
Revision	1
Supersedes date	06/06/2012
SDS number	21244
Risk phrases in full	R22 Harmful if swallowed. R34 Causes burns. R35 Causes severe burns. R41 Risk of serious damage to eyes.
Hazard statements in full	H302 Harmful if swallowed. H314 Causes severe skin burns and eye damage. H318 Causes serious eye damage. H319 Causes serious eye irritation. H351 Suspected of causing cancer.