

# Safety Data Sheet

According to Regulation (EC) No 1907/2006

# **Bryta Conc Cleaner Degreaser**

Revision: 2017-02-15

Version: 01.0

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

### 1.1 Product identifier

Trade name: Bryta Conc Cleaner Degreaser

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses: For professional use only. AISE-P303 - Kitchen cleaner. Manual process AISE-P304 - Kitchen cleaner. Spray and wipe manual process Uses advised against: Uses other than those identified are not recommended

#### 1.3 Details of the supplier of the safety data sheet

#### **Contact details**

Diversey Ltd Weston Favell Centre, Northampton NN3 8PD, United Kingdom Tel: 01604 405311, Fax: 01604 406809 Regulatory Email: MSDSinfoUK@sealedair.com

#### 1.4 Emergency telephone number

For medical or environmental emergency only: call 0800 052 0185

# SECTION 2: Hazards identification

# 2.1 Classification of the substance or mixture

Skin Irrit. 2 (H315) Eye Dam. 1 (H318)

#### 2.2 Label elements



Signal word: Danger.

Contains disodium metasilicate (Sodium Metasilicate), sodium alkylbenzenesulphonate (Sodium Dodecylbenzenesulfonate), alkyl alcohol ethoxylate (C9-11 Pareth-6).

#### Hazard statements:

H315 - Causes skin irritation. H318 - Causes serious eye damage.

#### **Precautionary statements:**

P280 - Wear eye or face protection.

P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P310 - Immediately call a POISON CENTRE, doctor or physician.

2.3 Other hazards

No other hazards known



# SECTION 3: Composition/information on ingredients

3.2 Mixtures

| Ingredient(s)                           | EC number                           | CAS number | REACH number   | Classification   | Classification<br>(1999/45/EC) | Notes | Weight<br>percent |
|---|-------------------------------------|------------|--|--|--------------------------------|-------|-------------------|
| disodium metasilicate                   | 215-687-4                           | 1344-09-8  | [1]  | Skin Corr. 1B (H314)<br>STOT SE 3 (H335)<br>Met. Corr. 1 (H290)  | C;R34<br>Xi;R37                |       | 3-10              |
| sodium<br>alkylbenzenesulphonate        | 290-656-6                           | 90194-45-9 | [1]  | Acute Tox. 4 (H302)<br>Skin Irrit. 2 (H315)<br>Eye Dam. 1 (H318) | Xn;R22<br>Xi;R38-41            |       | 1-3               |
| sodium cumenesulphonate                 | 239-854-6                           | 15763-76-5 | 01-2119489411-37   | Eye Irrit. 2A (H319)   | Xi;R36                         |       | 1-3               |
| alkyl alcohol ethoxylate                | Polymer*                            | 68439-46-3 | [4]  | Acute Tox. 4 (H302)<br>Eye Dam. 1 (H318)                         | Xn;R22<br>Xi;R41               |       | 1-3               |
| cocoamidopropyl betaine<br>hydrogenated | 604-575-4<br>931-513-6<br>931-296-8 | -          | 01-2119489410-39<br>01-2119513359-38<br>01-2119488533-30 | Eye Dam. 1 (H318)<br>Aquatic Chronic 3<br>(H412)                 | Xi;R41                         |       | 1-3               |

\* Polymer.

Workplace exposure limit(s), if available, are listed in subsection 8.1.

[1] Exempted: ionic mixture. See Regulation (EC) No 1907/2006, Annex V, paragraph 3 and 4. This salt is potentially present, based on calculation, and included for classification and labelling purposes only. Each starting material of the ionic mixture is registered, as required.

[2] Exempted: included in Annex IV of Regulation (EC) No 1907/2006.

[3] Exempted: Annex V of Regulation (EC) No 1907/2006.

[4] Exempted: polymer. See Article 2(9) of Regulation (EC) No 1907/2006.

For the full text of the R, H and EUH phrases mentioned in this Section, see Section 16.

# SECTION 4: First aid measures

| 4.1 Description of first aid measures |   |
|---------------------------------------|---|
| Inhalation                            | Get medical attention or advice if you feel unwell.   |
| Skin contact:                         | Wash skin with plenty of lukewarm, gently flowing water. Take off immediately all contaminated clothing and wash it before re-use. If skin irritation occurs: Get medical advice or attention.                      |
| Eye contact:                          | Hold eyelids apart and flush eyes with plenty of lukewarm water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTRE, doctor or physician. |
| Ingestion:                            | Rinse mouth. Immediately drink 1 glass of water. Never give anything by mouth to an unconscious person. Get medical attention or advice if you feel unwell.   |
| Self-protection of first aider:       | Consider personal protective equipment as indicated in subsection 8.2.  |
| 4.2 Most important symptoms and effe  |   |
| Inhalation:                           | No known effects or symptoms in normal use.   |

#### Skin contact: Causes irritation. Eye contact: Causes severe or permanent damage. Ingestion:

No known effects or symptoms in normal use.

#### 4.3 Indication of any immediate medical attention and special treatment needed

No information available on clinical testing and medical monitoring. Specific toxicological information on substances, if available, can be found in section 11.

# SECTION 5: Firefighting measures

#### 5.1 Extinguishing media

Carbon dioxide. Dry powder. Water spray jet. Fight larger fires with water spray jet or alcohol-resistant foam.

#### 5.2 Special hazards arising from the substance or mixture

No special hazards known.

#### 5.3 Advice for firefighters

As in any fire, wear self contained breathing apparatus and suitable protective clothing including gloves and eye/face protection.

# **SECTION 6: Accidental release measures**

#### 6.1 Personal precautions, protective equipment and emergency procedures

Wear eye/face protection.

#### 6.2 Environmental precautions

Do not allow to enter drainage system, surface or ground water. Dilute with plenty of water.

#### 6.3 Methods and material for containment and cleaning up

Absorb with liquid-binding material (sand, diatomite, universal binders, sawdust).

#### 6.4 Reference to other sections

For personal protective equipment see subsection 8.2. For disposal considerations see section 13.

# **SECTION 7: Handling and storage**

#### 7.1 Precautions for safe handling

### Measures to prevent fire and explosions:

No special precautions required.

### Measures required to protect the environment:

For environmental exposure controls see subsection 8.2.

#### Advices on general occupational hygiene:

Handle in accordance with good industrial hygiene and safety practice. Keep away from food, drink and animal feeding stuffs. Do not mix with other products unless adviced by Sealed Air. Wash hands before breaks and at the end of workday. Wash face, hands and any exposed skin thoroughly after handling. Take off immediately all contaminated clothing. Wash contaminated clothing before reuse. Use personal protective equipment as required. Avoid contact with eyes. Use only with adequate ventilation.

#### 7.2 Conditions for safe storage, including any incompatibilities

Store in accordance with local and national regulations. Keep only in original container. Store in a closed container. For conditions to avoid see subsection 10.4. For incompatible materials see subsection 10.5.

#### 7.3 Specific end use(s)

No specific advice for end use available.

# **SECTION 8: Exposure controls/personal protection**

#### 8.1 Control parameters Workplace exposure limits

Air limit values, if available:

Biological limit values, if available:

Additional exposure limits under the conditions of use, if available:

#### **DNEL/DMEL and PNEC values**

#### Human exposure

DNEL oral exposure - Consumer (mg/kg bw)

| Ingredient(s)                        | Short term - Local | Short term - Systemic | Long term - Local | Long term - Systemic |
|--------------------------------------|--------------------|-----------------------|-------------------|----------------------|
|                                      | effects            | effects               | effects           | effects              |
| disodium metasilicate                | -                  | -                     | -                 | 0.74                 |
| sodium alkylbenzenesulphonate        | No data available  | No data available     | No data available | No data available    |
| sodium cumenesulphonate              | -                  | -                     | -                 | 3.8                  |
| alkyl alcohol ethoxylate             | -                  | -                     | -                 | -                    |
| cocoamidopropyl betaine hydrogenated | -                  | -                     | -                 | 7.5                  |

DNEL dermal exposure - Worker

| Ingredient(s)                        | Short term - Local | Short term - Systemic | Long term - Local | Long term - Systemic |
|--------------------------------------|--------------------|-----------------------|-------------------|----------------------|
|                                      | effects            | effects (mg/kg bw)    | effects           | effects (mg/kg bw)   |
| disodium metasilicate                | No data available  | -                     | No data available | 1.49                 |
| sodium alkylbenzenesulphonate        | No data available  | No data available     | No data available | No data available    |
| sodium cumenesulphonate              | -                  | -                     | -                 | 7.6                  |
| alkyl alcohol ethoxylate             | -                  | -                     | -                 | -                    |
| cocoamidopropyl betaine hydrogenated | No data available  | -                     | No data available | 12.5                 |

DNEL dermal exposure - Consumer

| Ingredient(s)                        | Short term - Local<br>effects | Short term - Systemic<br>effects (mg/kg bw) | Long term - Local<br>effects | Long term - Systemic<br>effects (mg/kg bw) |
|--------------------------------------|-------------------------------|---|------------------------------|--|
| disodium metasilicate                | No data available             | -   | No data available            | 0.74                                       |
| sodium alkylbenzenesulphonate        | No data available             | No data available                           | No data available            | No data available                          |
| sodium cumenesulphonate              | -                             | -   | -                            | 3.8  |
| alkyl alcohol ethoxylate             | -                             | -   | -                            | -  |
| cocoamidopropyl betaine hydrogenated | No data available             | -   | No data available            | 7.5  |

DNEL inhalatory exposure - Worker (mg/m<sup>3</sup>)

| Ingredient(s)                 | Short term - Local<br>effects | Short term - Systemic<br>effects | Long term - Local<br>effects | Long term - Systemic<br>effects |
|-------------------------------|-------------------------------|----------------------------------|------------------------------|---------------------------------|
| disodium metasilicate         | -                             | -                                | -                            | 6.22                            |
| sodium alkylbenzenesulphonate | No data available             | No data available                | No data available            | No data available               |
| sodium cumenesulphonate       | -                             | -                                | -                            | 3.8                             |
| alkyl alcohol ethoxylate      | -                             | -                                | -                            | -                               |

# Bryta Conc Cleaner Degreaser

|  | cocoamidopropyl betaine hydrogenated | - | - | - | 44 |
|--|--------------------------------------|---|---|---|----|
|--|--------------------------------------|---|---|---|----|

| DNEL inhalatory exposure - Consumer (mg/m <sup>3</sup> ) |                               |                                  |                              |                                 |
|--|-------------------------------|----------------------------------|------------------------------|---------------------------------|
| Ingredient(s)  | Short term - Local<br>effects | Short term - Systemic<br>effects | Long term - Local<br>effects | Long term - Systemic<br>effects |
| disodium metasilicate                                    | -                             | -                                | -                            | 1.55                            |
| sodium alkylbenzenesulphonate                            | No data available             | No data available                | No data available            | No data available               |
| sodium cumenesulphonate                                  | -                             | -                                | -                            | 13.2                            |
| alkyl alcohol ethoxylate                                 | -                             | -                                | -                            | -                               |
| cocoamidopropyl betaine hydrogenated                     | -                             | -                                | -                            | -                               |

### **Environmental exposure**

| Environmental exposure - PNEC        |                                |                                 |                     |                                  |
|--------------------------------------|--------------------------------|---------------------------------|---------------------|----------------------------------|
| Ingredient(s)                        | Surface water, fresh<br>(mg/l) | Surface water, marine<br>(mg/l) | Intermittent (mg/l) | Sewage treatment<br>plant (mg/l) |
| disodium metasilicate                | 7.5                            | 1                               | 7.5                 | 1000                             |
| sodium alkylbenzenesulphonate        | No data available              | No data available               | No data available   | No data available                |
| sodium cumenesulphonate              | 0.23                           | -                               | 2.3                 | 100                              |
| alkyl alcohol ethoxylate             | -                              | -                               | -                   | -                                |
| cocoamidopropyl betaine hydrogenated | 0.0135                         | 0.00135                         | -                   | 3000                             |

| ļ | Environmental exposure - PNEC, continued |
|---|--|
|   | Ingredient(s)                            |

| Ingredient(s)                        | Sediment, freshwater<br>(mg/kg) | Sediment, marine<br>(mg/kg) | Soil (mg/kg)      | Air (mg/m³)       |
|--------------------------------------|---------------------------------|-----------------------------|-------------------|-------------------|
| disodium metasilicate                | -                               | -                           | -                 | -                 |
| sodium alkylbenzenesulphonate        | No data available               | No data available           | No data available | No data available |
| sodium cumenesulphonate              | -                               | -                           | -                 | -                 |
| alkyl alcohol ethoxylate             | -                               | -                           | -                 | -                 |
| cocoamidopropyl betaine hydrogenated | 1                               | 0.1                         | 0.8               | -                 |

### 8.2 Exposure controls

The following information applies for the uses indicated in subsection 1.2 of the Safety Data Sheet. If available, please refer to the product information sheet for application and handling instructions. Normal use conditions are assumed for this section.

Recommended safety measures for handling the <u>undiluted</u> product:

Covering activities such as filling and transfer of product to application equipment, flasks or buckets

| Appropriate engineering controls:<br>Appropriate organisational controls:  | If the product is diluted by using specific dosing systems with no risk of splashes or direct skin contact, the personal protection equipment as described in this section is not required. Avoid direct contact and/or splashes where possible Train personnel  |
|--|--|
| Personal protective equipment<br>Eye / face protection:<br>Hand protection:<br>Body protection:<br>Respiratory protection: | Safety glasses or goggles (EN 166).<br>Chemical-resistant protective gloves (EN 374). Verify instructions regarding permeability and<br>breakthrough time, as provided by the gloves supplier. Consider specific local use conditions, such<br>as risk of splashes, cuts, contact time and temperature.<br>Suggested gloves for prolonged contact: Material: butyl rubber Penetration time: >= 480 min<br>Material thickness: >= 0.7 mm<br>Suggested gloves for protection against splashes: Material: nitrile rubber Penetration time: >= 30<br>min Material thickness: >= 0.4 mm<br>In consultation with the supplier of protective gloves a different type providing similar protection may<br>be chosen.<br>No special requirements under normal use conditions.<br>No special requirements under normal use conditions. |
| Environmental exposure controls:   | No special requirements under normal use conditions.   |

Recommended safety measures for handling the diluted product:

#### Recommended maximum concentration (%): 5

| Appropriate engineering controls:  | No special requirements under normal use conditions. Provide a good standard of general ventilation.   |
|--|--|
| Appropriate organisational controls:   | No special requirements under normal use conditions.   |
| Personal protective equipment<br>Eye / face protection:<br>Hand protection:<br>Body protection:<br>Respiratory protection: | No special requirements under normal use conditions.<br>Rinse and dry hands after use. For prolonged contact protection for the skin may be necessary.<br>No special requirements under normal use conditions.<br>No special requirements under normal use conditions. |
| Environmental exposure controls:   | No special requirements under normal use conditions.   |

# SECTION 9: Physical and chemical properties

#### 9.1 Information on basic physical and chemical properties Information in this section refers to the product, unless it is specifically stated that substance data is listed

Physical State: Liquid
Colour: Clear, Pale, Yellow
Odour: Product specific
Odour threshold: Not applicable
pH: > 12 (neat)
Melting point/freezing point (°C): Not determined
Initial boiling point and boiling range (°C): Not determined

Substance data, boiling point

| Ingredient(s)                        | Value<br>(°C)     | Method           | Atmospheric pressure<br>(hPa) |
|--------------------------------------|-------------------|------------------|-------------------------------|
| disodium metasilicate                | No data available |                  |                               |
| sodium alkylbenzenesulphonate        | No data available |                  |                               |
| sodium cumenesulphonate              | No data available |                  |                               |
| alkyl alcohol ethoxylate             | > 232.2           | Method not given |                               |
| cocoamidopropyl betaine hydrogenated | 100               | Method not given |                               |

Flash point (°C): Not applicable. Sustained combustion: Not applicable. Evaporation rate: Not determined Flammability (solid, gas): Not applicable to liquids Upper/lower flammability limit (%): Not determined

Substance data, flammability or explosive limits, if available:

#### Vapour pressure: Not determined

ISO 4316

Method / remark

Not relevant to classification of this product See substance data

| Method / r | emark |
|------------|-------|
|------------|-------|

Not relevant to classification of this product

Method / remark

See substance data

Substance data, vapour pressure

| Ingredient(s)                        | Value<br>(Pa)     | Method           | Temperature<br>(°C) |
|--------------------------------------|-------------------|------------------|---------------------|
| disodium metasilicate                | No data available |                  |                     |
| sodium alkylbenzenesulphonate        | No data available |                  |                     |
| sodium cumenesulphonate              | No data available |                  |                     |
| alkyl alcohol ethoxylate             | < 10              | Method not given | 37.8                |
| cocoamidopropyl betaine hydrogenated | .?                | Method not given | 20                  |

#### Vapour density: Not determined Relative density: $\approx 1.10 (20 \ ^{\circ}C)$ Solubility in / Miscibility with Water: Fully miscible

Substance data, solubility in water

| Ingredient(s)                        | Value<br>(g/l)    | Method           | Temperature<br>(°C) |
|--------------------------------------|-------------------|------------------|---------------------|
| disodium metasilicate                | 350               | Method not given | 20                  |
| sodium alkylbenzenesulphonate        | No data available |                  |                     |
| sodium cumenesulphonate              | 493 Soluble       | Method not given | 20                  |
| alkyl alcohol ethoxylate             | 100 Soluble       | Method not given |                     |
| cocoamidopropyl betaine hydrogenated | > .? Soluble      | Method not given | 20                  |

Substance data, partition coefficient n-octanol/water (log Kow): see subsection 12.3

Autoignition temperature: Not determined Decomposition temperature: Not applicable. Viscosity: Not determined Explosive properties: Not explosive. Oxidising properties: Not oxidising

9.2 Other information Surface tension (N/m): Not determined Corrosion to metals: Not corrosive

Substance data, dissociation constant, if available:

#### Method / remark

Not relevant to classification of this product OECD 109 (EU A.3)

#### Method / remark

Not relevant to classification of this product

Not relevant to classification of this product

# SECTION 10: Stability and reactivity

#### 10.1 Reactivity

No reactivity hazards known under normal storage and use conditions.

#### 10.2 Chemical stability

Stable under normal storage and use conditions.

#### 10.3 Possibility of hazardous reactions

No hazardous reactions known under normal storage and use conditions.

#### 10.4 Conditions to avoid

None known under normal storage and use conditions.

#### 10.5 Incompatible materials

Reacts with water and acids.

# 10.6 Hazardous decomposition products

None known under normal storage and use conditions.

# **SECTION 11: Toxicological information**

#### 11.1 Information on toxicological effects

Mixture data:.

#### Relevant calculated ATE(s):

ATE - Oral (mg/kg): >5000

#### Skin irritation and corrosivity Result: Not corrosive

Method: OECD 431 (EU B.40 bis), Episkin

Substance data, where relevant and available, are listed below:.

#### Acute toxicity Acute oral toxicity

| Ingredient(s)                        | Endpoint | Value<br>(mg/kg)     | Species | Method           | Exposure<br>time (h) |
|--------------------------------------|----------|----------------------|---------|------------------|----------------------|
| disodium metasilicate                | LD 50    | 770 - 820            | Mouse   | Method not given |                      |
| sodium alkylbenzenesulphonate        |          | No data<br>available |         |                  |                      |
| sodium cumenesulphonate              | LD 50    | > 7000               | Rat     | Method not given |                      |
| alkyl alcohol ethoxylate             | LD 50    | 300 - 2000           |         | Method not given |                      |
| cocoamidopropyl betaine hydrogenated | LD 50    | 2430                 | Rat     | Method not given |                      |

Acute dermal toxicity

| Ingredient(s)                        | Endpoint | Value<br>(mg/kg)     | Species | Method            | Exposure<br>time (h) |
|--------------------------------------|----------|----------------------|---------|-------------------|----------------------|
| disodium metasilicate                |          | No data<br>available |         |                   |                      |
| sodium alkylbenzenesulphonate        |          | No data<br>available |         |                   |                      |
| sodium cumenesulphonate              | LD 50    | > 2000               | Rabbit  | Method not given  |                      |
| alkyl alcohol ethoxylate             | LD 50    | 2000 - 5000          | Rat     | Method not given  |                      |
| cocoamidopropyl betaine hydrogenated | LD 50    | > 5000               | Rat     | OECD 402 (EU B.3) |                      |

Acute inhalative toxicity

| Ingredient(s)                        | Endpoint | Value<br>(mg/l)      | Species | Method           | Exposure<br>time (h) |
|--------------------------------------|----------|----------------------|---------|------------------|----------------------|
| disodium metasilicate                |          | No data<br>available |         |                  |                      |
| sodium alkylbenzenesulphonate        |          | No data<br>available |         |                  |                      |
| sodium cumenesulphonate              |          | No data<br>available |         |                  |                      |
| alkyl alcohol ethoxylate             |          | No data<br>available |         |                  |                      |
| cocoamidopropyl betaine hydrogenated | LC 50    | > 5 (mist)           | Rat     | Method not given | 4                    |

Irritation and corrosivity Skin irritation and corrosivity

| Ingredient(s)                        | Result            | Species | Method            | Exposure time |
|--------------------------------------|-------------------|---------|-------------------|---------------|
| disodium metasilicate                | Corrosive         |         | Method not given  |               |
| sodium alkylbenzenesulphonate        | No data available |         |                   |               |
| sodium cumenesulphonate              | Not irritant      | Rabbit  | OECD 404 (EU B.4) |               |
| alkyl alcohol ethoxylate             | Not irritant      |         | Method not given  |               |
| cocoamidopropyl betaine hydrogenated | Not irritant      | Rabbit  | OECD 404 (EU B.4) |               |

Eye irritation and corrosivity

| Ingredient(s)                        | Result            | Species | Method            | Exposure time |
|--------------------------------------|-------------------|---------|-------------------|---------------|
| disodium metasilicate                | Corrosive         |         | Method not given  |               |
| sodium alkylbenzenesulphonate        | No data available |         |                   |               |
| sodium cumenesulphonate              | Irritant          | Rabbit  | OECD 405 (EU B.5) |               |
| alkyl alcohol ethoxylate             | Severe damage     | Rabbit  | Method not given  |               |
| cocoamidopropyl betaine hydrogenated | Severe damage     | Rabbit  | OECD 405 (EU B.5) |               |

Respiratory tract irritation and corrosivity

| Ingredient(s)                        | Result            | Species | Method | Exposure time |
|--------------------------------------|-------------------|---------|--------|---------------|
| disodium metasilicate                | No data available |         |        |               |
| sodium alkylbenzenesulphonate        | No data available |         |        |               |
| sodium cumenesulphonate              | No data available |         |        |               |
| alkyl alcohol ethoxylate             | No data available |         |        |               |
| cocoamidopropyl betaine hydrogenated | No data available |         |        |               |

# Sensitisation

| Ingredient(s)                        | Result            | Species    | Method                      | Exposure time (h) |
|--------------------------------------|-------------------|------------|-----------------------------|-------------------|
| disodium metasilicate                | No data available |            |                             |                   |
| sodium alkylbenzenesulphonate        | No data available |            |                             |                   |
| sodium cumenesulphonate              | Not sensitising   | Guinea pig | OECD 406 (EU B.6) /<br>GPMT |                   |
| alkyl alcohol ethoxylate             | Not sensitising   | Guinea pig | Method not given            |                   |
| cocoamidopropyl betaine hydrogenated | Not sensitising   | Guinea pig | OECD 406 (EU B.6) /<br>GPMT |                   |

Sensitisation by inhalation

| Ingredient(s)                        | Result            | Species | Method | Exposure time |
|--------------------------------------|-------------------|---------|--------|---------------|
| disodium metasilicate                | No data available |         |        |               |
| sodium alkylbenzenesulphonate        | No data available |         |        |               |
| sodium cumenesulphonate              | No data available |         |        |               |
| alkyl alcohol ethoxylate             | No data available |         |        |               |
| cocoamidopropyl betaine hydrogenated | No data available |         |        |               |

#### CMR effects (carcinogenicity, mutagenicity and toxicity for reproduction) Mutagenicity

| Ingredient(s)                        | Result (in-vitro)                                   | Method<br>(in-vitro)                 | Result (in-vivo)                                    | Method<br>(in-vivo)   |
|--------------------------------------|---|--------------------------------------|---|-----------------------|
| disodium metasilicate                | No data available                                   |                                      | No data available                                   |                       |
| sodium alkylbenzenesulphonate        | No data available                                   |                                      | No data available                                   |                       |
| sodium cumenesulphonate              | No evidence for mutagenicity, negative test results |                                      | No evidence for mutagenicity, negative test results | OECD 474 (EU<br>B.12) |
| alkyl alcohol ethoxylate             | No evidence for mutagenicity, negative test results | OECD 473                             | No data available                                   |                       |
| cocoamidopropyl betaine hydrogenated |   | OECD 471 (EU<br>B.12/13) OECD<br>476 |   | OECD 474 (EU<br>B.12) |

Carcinogenicity

| Ingredient(s)                        | Effect   |
|--------------------------------------|--|
| disodium metasilicate                | No data available                                      |
| sodium alkylbenzenesulphonate        | No data available                                      |
| sodium cumenesulphonate              | No evidence for carcinogenicity, negative test results |
| alkyl alcohol ethoxylate             | No evidence for carcinogenicity, negative test results |
| cocoamidopropyl betaine hydrogenated | No evidence for carcinogenicity, weight-of-evidence    |

Toxicity for reproduction Remarks and other effects Ingredient(s) Endpoint Specific effect Value Species Method Exposure (mg/kg bw/d) time reported disodium metasilicate No data available sodium No data alkylbenzenesulphonat available е No known significant effects or sodium NOAEL Teratogenic effects > 936 Rat Non guideline

| cumenesulphonate                        |       |                        |       |     | test                           | critical hazards                                     |
|---|-------|------------------------|-------|-----|--------------------------------|--|
| alkyl alcohol ethoxylate                | NOAEL |                        | > 250 | Rat | Not known                      | No effects on fertility No<br>developmental toxicity |
| cocoamidopropyl<br>betaine hydrogenated | NOEL  | Developmental toxicity | 300   | Rat | OECD 414<br>(EU B.31),<br>oral |  |

# Repeated dose toxicity Sub-acute or sub-chronic oral toxicity

| Ingredient(s)                        | Endpoint | Value                | Species | Method                | Exposure<br>time (days) | Specific effects and organs<br>affected |
|--------------------------------------|----------|----------------------|---------|-----------------------|-------------------------|---|
|                                      |          | (mg/kg bw/d)         |         |                       | time (days)             | anected                                 |
| disodium metasilicate                | NOAEL    | > 227 - 237          | Rat     | Method not            |                         |   |
|                                      |          |                      |         | given                 |                         |   |
| sodium alkylbenzenesulphonate        |          | No data<br>available |         |                       |                         |   |
| sodium cumenesulphonate              | NOAEL    | 763 - 3534           | Rat     | OECD 408 (EU<br>B.26) |                         | No effects observed                     |
| alkyl alcohol ethoxylate             | NOAEL    | 80 - 400             |         | Method not<br>given   |                         |   |
| cocoamidopropyl betaine hydrogenated | NOAEL    | 300                  | Rat     | OECD 408 (EU<br>B.26) | 90                      |   |

#### Sub-chronic dermal toxicity

| Ingredient(s)                        | Endpoint | Value<br>(mg/kg bw/d) | Species | Method                | Exposure<br>time (days) | Specific effects and organs<br>affected |
|--------------------------------------|----------|-----------------------|---------|-----------------------|-------------------------|---|
| disodium metasilicate                |          | No data<br>available  |         |                       |                         |   |
| sodium alkylbenzenesulphonate        |          | No data<br>available  |         |                       |                         |   |
| sodium cumenesulphonate              |          | No data<br>available  |         |                       |                         |   |
| alkyl alcohol ethoxylate             | NOAEL    | 80                    |         | OECD 411 (EU<br>B.28) | 90                      |   |
| cocoamidopropyl betaine hydrogenated |          | No data<br>available  |         |                       |                         |   |

### Sub-chronic inhalation toxicity

| Ingredient(s)                        | Endpoint | Value<br>(mg/kg bw/d) | Species | Method | Exposure<br>time (days) | Specific effects and organs<br>affected |
|--------------------------------------|----------|-----------------------|---------|--------|-------------------------|---|
| disodium metasilicate                |          | No data<br>available  |         |        |                         |   |
| sodium alkylbenzenesulphonate        |          | No data<br>available  |         |        |                         |   |
| sodium cumenesulphonate              |          | No data<br>available  |         |        |                         |   |
| alkyl alcohol ethoxylate             |          | No data<br>available  |         |        |                         |   |
| cocoamidopropyl betaine hydrogenated |          | No data<br>available  |         |        |                         |   |

#### Chronic toxicity

| Ingredient(s)                           | Exposure<br>route | Endpoint | Value<br>(mg/kg bw/d) | Species | Method | Exposure<br>time | Specific effects and<br>organs affected | Remark |
|---|-------------------|----------|-----------------------|---------|--------|------------------|---|--------|
| disodium metasilicate                   |                   |          | No data<br>available  |         |        |                  |   |        |
| sodium<br>alkylbenzenesulphonat<br>e    |                   |          | No data<br>available  |         |        |                  |   |        |
| sodium<br>cumenesulphonate              |                   |          | No data<br>available  |         |        |                  |   |        |
| alkyl alcohol ethoxylate                |                   |          | No data<br>available  |         |        |                  |   |        |
| cocoamidopropyl<br>betaine hydrogenated |                   |          | No data<br>available  |         |        |                  |   |        |

### STOT-single exposure

| Ingredient(s)                        | Affected organ(s) |
|--------------------------------------|-------------------|
| disodium metasilicate                | No data available |
| sodium alkylbenzenesulphonate        | No data available |
| sodium cumenesulphonate              | No data available |
| alkyl alcohol ethoxylate             | No data available |
| cocoamidopropyl betaine hydrogenated | No data available |

STOT-repeated exposure Ingredient(s) Affected organ(s) No data available disodium metasilicate sodium alkylbenzenesulphonate No data available sodium cumenesulphonate No data available alkyl alcohol ethoxylate No data available

| cocoamidopropyl betaine hydrogenated No | lo data available |
|---|-------------------|
|---|-------------------|

# Aspiration hazard

Substances with an aspiration hazard (H304), if any, are listed in section 3. If relevant, see section 9 for dynamic viscosity and relative density of the product.

# Potential adverse health effects and symptoms

Effects and symptoms related to the product, if any, are listed in subsection 4.2.

# **SECTION 12: Ecological information**

### 12.1 Toxicity

No data is available on the mixture.

Substance data, where relevant and available, are listed below:

# Aquatic short-term toxicity - fish

| Ingredient(s)                        | Endpoint | Value<br>(mg/l)      | Species              | Method                        | Exposure<br>time (h) |
|--------------------------------------|----------|----------------------|----------------------|-------------------------------|----------------------|
| disodium metasilicate                | LC 50    | 210                  | Brachydanio<br>rerio | Method not given              | 96                   |
| sodium alkylbenzenesulphonate        |          | No data<br>available |                      |                               |                      |
| sodium cumenesulphonate              | LC 50    | > 1000               | Fish                 | EPA-OPPTS 850.1075            | 96                   |
| alkyl alcohol ethoxylate             | LC 50    | 5 - 7                | Fish                 | 92/69/EEC, C1,<br>semi-static | 96                   |
| cocoamidopropyl betaine hydrogenated | LC 50    | 1.11                 | Fish                 | OECD 203, semi-static         | 96                   |

#### Aquatic short-term toxicity - crustacea

| Ingredient(s)                        | Endpoint | Value<br>(mg/l)      | Species                 | Method            | Exposure<br>time (h) |
|--------------------------------------|----------|----------------------|-------------------------|-------------------|----------------------|
| disodium metasilicate                | EC 50    | 1700                 | Daphnia                 | Method not given  | 48                   |
| sodium alkylbenzenesulphonate        |          | No data<br>available |                         |                   |                      |
| sodium cumenesulphonate              | EC 50    | > 100                | Daphnia<br>magna Straus | OECD 202 (EU C.2) | 48                   |
| alkyl alcohol ethoxylate             | EC 50    | 5.3                  | Daphnia                 | 92/69/EEC         | 48                   |
| cocoamidopropyl betaine hydrogenated | EC 50    | 1.9                  | Daphnia                 | OECD 202, static  | 48                   |

#### Aquatic short-term toxicity - algae

| Ingredient(s)                        | Endpoint | Value<br>(mg/l) | Species       | Method             | Exposure<br>time (h) |
|--------------------------------------|----------|-----------------|---------------|--------------------|----------------------|
| disodium metasilicate                | EC 50    | 207             | Chlorella     | Method not given   | 72                   |
|                                      |          |                 | pyrenoidosa   |                    |                      |
| sodium alkylbenzenesulphonate        |          | No data         |               |                    |                      |
|                                      |          | available       |               |                    |                      |
| sodium cumenesulphonate              | EC 50    | > 230           | Not specified | EPA OPPTS 850.5400 | 96                   |
| alkyl alcohol ethoxylate             | EC 50    | 1.4 - 47        | Not specified | 92/69/EEC          | 72                   |
| cocoamidopropyl betaine hydrogenated | Er C 50  | 2.4             | Not specified | Method not given   | 72                   |

| Aquatic short-term toxicity - marine species |          |                      |   |           |                         |
|--|----------|----------------------|---|-----------|-------------------------|
| Ingredient(s)                                | Endpoint | Value<br>(mg/l)      | Species   | Method    | Exposure<br>time (days) |
| disodium metasilicate                        |          | No data<br>available |   |           | -                       |
| sodium alkylbenzenesulphonate                |          | No data<br>available |   |           |                         |
| sodium cumenesulphonate                      |          | No data<br>available |   |           | -                       |
| alkyl alcohol ethoxylate                     |          | No data<br>available |   |           | -                       |
| cocoamidopropyl betaine hydrogenated         | ErC 50   | 0.74                 | Skeletonema<br>costatum<br>Phaeodactylum<br>tricornutum | ISO 10253 | 72                      |

# Impact on sewage plants - toxicity to bacteria

| Ingredient(s)                 | Endpoint | Value<br>(mg/l)      | Inoculum         | Method           | Exposure<br>time |
|-------------------------------|----------|----------------------|------------------|------------------|------------------|
| disodium metasilicate         | EC 50    | > 100                | Activated sludge | Method not given | 3 hour(s)        |
| sodium alkylbenzenesulphonate |          | No data<br>available |                  |                  |                  |
| sodium cumenesulphonate       | E r C 50 | > 1000               | Bacteria         | OECD 209         | 3 hour(s)        |
| alkyl alcohol ethoxylate      | EC 50    | > 140                | Bacteria         | Method not given | 3 hour(s)        |

| cocoamidopropyl betaine hydrogenated | EC 50 | 3000 | Bacteria | ISO 13641 (2003), | 16 hour(s) |
|--------------------------------------|-------|------|----------|-------------------|------------|
|                                      |       |      |          | anaerobic         |            |

Aquatic long-term toxicity

| Ingredient(s)                        | Endpoint | Value<br>(mg/l)      | Species                | Method              | Exposure<br>time | Effects observed |
|--------------------------------------|----------|----------------------|------------------------|---------------------|------------------|------------------|
| disodium metasilicate                |          | No data<br>available |                        |                     |                  |                  |
| sodium alkylbenzenesulphonate        |          | No data<br>available |                        |                     |                  |                  |
| sodium cumenesulphonate              |          | No data<br>available |                        |                     |                  |                  |
| alkyl alcohol ethoxylate             | EC 10    | 8.983                | Not specified          | Method not<br>given | 21 day(s)        |                  |
| cocoamidopropyl betaine hydrogenated | NOEC     | 0.135                | Oncorhynchus<br>mykiss | OECD 210            | 100 day(s)       |                  |

#### Aquatic long-term toxicity - crustacea

| Ingredient(s)                        | Endpoint | Value<br>(mg/l)      | Species          | Method              | Exposure<br>time | Effects observed |
|--------------------------------------|----------|----------------------|------------------|---------------------|------------------|------------------|
| disodium metasilicate                |          | No data<br>available |                  |                     |                  |                  |
| sodium alkylbenzenesulphonate        |          | No data<br>available |                  |                     |                  |                  |
| sodium cumenesulphonate              |          | No data<br>available |                  |                     |                  |                  |
| alkyl alcohol ethoxylate             | EC 10    | 2.579                | Daphnia sp.      | Method not<br>given | 21 day(s)        |                  |
| cocoamidopropyl betaine hydrogenated | NOEC     | 0.3                  | Daphnia<br>magna | OECD 211            | 21 day(s)        |                  |

# Aquatic toxicity to other aquatic benthic organisms, including sediment-dwelling organisms, if available:

| Ingredient(s)                        | Endpoint | Value<br>(mg/kg dw<br>sediment) | Species | Method | Exposure<br>time (days) | Effects observed |
|--------------------------------------|----------|---------------------------------|---------|--------|-------------------------|------------------|
| disodium metasilicate                |          | No data<br>available            |         |        | -                       |                  |
| sodium alkylbenzenesulphonate        |          | No data<br>available            |         |        |                         |                  |
| sodium cumenesulphonate              |          | No data<br>available            |         |        | -                       |                  |
| alkyl alcohol ethoxylate             |          | No data<br>available            |         |        | -                       |                  |
| cocoamidopropyl betaine hydrogenated |          | No data<br>available            |         |        | -                       |                  |

Terrestrial toxicity Terrestrial toxicity - soil invertebrates, including earthworms, if available:

| Ingredient(s)                        | Endpoint | Value<br>(mg/kg dw<br>soil) | Species | Method | Exposure<br>time (days) | Effects observed |
|--------------------------------------|----------|-----------------------------|---------|--------|-------------------------|------------------|
| disodium metasilicate                |          | No data<br>available        |         |        | -                       |                  |
| sodium cumenesulphonate              |          | No data<br>available        |         |        | -                       |                  |
| alkyl alcohol ethoxylate             |          | No data<br>available        |         |        | -                       |                  |
| cocoamidopropyl betaine hydrogenated |          | No data<br>available        |         |        | -                       |                  |

Terrestrial toxicity - plants, if available:

| Ingredient(s)                        | Endpoint | Value<br>(mg/kg dw<br>soil) | Species | Method | Exposure<br>time (days) | Effects observed |
|--------------------------------------|----------|-----------------------------|---------|--------|-------------------------|------------------|
| disodium metasilicate                |          | No data<br>available        |         |        | -                       |                  |
| sodium cumenesulphonate              |          | No data<br>available        |         |        | -                       |                  |
| alkyl alcohol ethoxylate             |          | No data<br>available        |         |        | -                       |                  |
| cocoamidopropyl betaine hydrogenated |          | No data<br>available        |         |        | -                       |                  |

### Terrestrial toxicity - birds, if available:

| Ingredient(s)           | Endpoint | Value     | Species | Method | Exposure<br>time (days) | Effects observed |
|-------------------------|----------|-----------|---------|--------|-------------------------|------------------|
| disodium metasilicate   |          | No data   |         |        | -                       |                  |
|                         |          | available |         |        |                         |                  |
| sodium cumenesulphonate |          | No data   |         |        | -                       |                  |
|                         |          | available |         |        |                         |                  |

| alkyl alcohol ethoxylate             | No data<br>available | - |  |
|--------------------------------------|----------------------|---|--|
| cocoamidopropyl betaine hydrogenated | No data              | - |  |
|                                      | available            |   |  |

#### Terrestrial toxicity - beneficial insects, if available:

| Ingredient(s)                        | Endpoint | Value<br>(mg/kg dw<br>soil) | Species | Method | Exposure<br>time (days) | Effects observed |
|--------------------------------------|----------|-----------------------------|---------|--------|-------------------------|------------------|
| disodium metasilicate                |          | No data<br>available        |         |        | -                       |                  |
| sodium cumenesulphonate              |          | No data<br>available        |         |        | -                       |                  |
| alkyl alcohol ethoxylate             |          | No data<br>available        |         |        | -                       |                  |
| cocoamidopropyl betaine hydrogenated |          | No data<br>available        |         |        | -                       |                  |

# Terrestrial toxicity - soil bacteria, if available:

| Ingredient(s)                        | Endpoint | Value<br>(mg/kg dw<br>soil) | Species | Method | Exposure<br>time (days) | Effects observed |
|--------------------------------------|----------|-----------------------------|---------|--------|-------------------------|------------------|
| disodium metasilicate                |          | No data<br>available        |         |        | -                       |                  |
| sodium cumenesulphonate              |          | No data<br>available        |         |        | -                       |                  |
| alkyl alcohol ethoxylate             |          | No data<br>available        |         |        | -                       |                  |
| cocoamidopropyl betaine hydrogenated |          | No data<br>available        |         |        | -                       |                  |

# 12.2 Persistence and degradability

Abiotic degradation Abiotic degradation - photodegradation in air, if available:

Abiotic degradation - hydrolysis, if available:

Abiotic degradation - other processes, if available:

Biodegradation Ready biodegradability - aerobic conditions

| Ingredient(s)                        | Inoculum | Analytical<br>method       | DT 50                      | Method           | Evaluation                              |
|--------------------------------------|----------|----------------------------|----------------------------|------------------|---|
| disodium metasilicate                |          |                            |                            |                  | Not applicable (inorganic<br>substance) |
| sodium alkylbenzenesulphonate        |          |                            |                            |                  | No data available                       |
| sodium cumenesulphonate              |          | CO <sub>2</sub> production | 103 - 109% in 28<br>day(s) | OECD 301B        | Readily biodegradable                   |
| alkyl alcohol ethoxylate             |          |                            | 60 % in 28 day(s)          | Method not given | Readily biodegradable                   |
| cocoamidopropyl betaine hydrogenated |          |                            | 95 % in 28 day(s)          | Method not given | Readily biodegradable                   |

### Ready biodegradability - anaerobic and marine conditions, if available:

| Ingredient(s)                        | Medium & Type | Analytical<br>method | DT 50            | Method   | Evaluation            |
|--------------------------------------|---------------|----------------------|------------------|----------|-----------------------|
| cocoamidopropyl betaine hydrogenated |               |                      | 76% in 28 day(s) | OECD 306 | Readily biodegradable |

Degradation in relevant environmental compartments, if available:

#### 12.3 Bioaccumulative potential

| Partition coefficient n-octanol/water (log l | Kow)              |                  |                                    |        |
|--|-------------------|------------------|------------------------------------|--------|
| Ingredient(s)                                | Value             | Method           | Evaluation                         | Remark |
| disodium metasilicate                        | No data available |                  |                                    |        |
| sodium alkylbenzenesulphonate                | No data available |                  |                                    |        |
| sodium cumenesulphonate                      | -1.1              | Method not given | No bioaccumulation expected        |        |
| alkyl alcohol ethoxylate                     | 3.11 - 4.19       | Method not given | High potential for bioaccumulation |        |
| cocoamidopropyl betaine hydrogenated         | 4.2               | Method not given | Low potential for bioaccumulation  |        |

| Bioconcentration factor (            | BCF)              |         |                  |                                    |        |
|--------------------------------------|-------------------|---------|------------------|------------------------------------|--------|
| Ingredient(s)                        | Value             | Species | Method           | Evaluation                         | Remark |
| disodium metasilicate                | No data available |         |                  |                                    |        |
| sodium<br>alkylbenzenesulphonat<br>e | No data available |         |                  |                                    |        |
| sodium<br>cumenesulphonate           | No data available |         |                  |                                    |        |
| alkyl alcohol ethoxylate             | < 500             |         | Method not given | High potential for bioaccumulation |        |
| cocoamidopropyl                      | 3 - 71            |         | Method not given | Low potential for bioaccumulation  |        |

| betaine hydrogenated |                      |  |  |
|----------------------|----------------------|--|--|
|                      | betaine hydrogenated |  |  |

#### 12.4 Mobility in soil

| Adsorption/Desor | ntion to | soil or | sodimont |
|------------------|----------|---------|----------|
| Ausorption/Desor | ριισπιο  | 2011 01 | Sediment |

| Ingredient(s)                        | Adsorption<br>coefficient<br>Log Koc | Desorption<br>coefficient<br>Log Koc(des) | Method | Soil/sediment<br>type | Evaluation                                       |
|--------------------------------------|--------------------------------------|---|--------|-----------------------|--|
| disodium metasilicate                | No data available                    |   |        |                       |  |
| sodium alkylbenzenesulphonate        | No data available                    |   |        |                       |  |
| sodium cumenesulphonate              | No data available                    |   |        |                       |  |
| alkyl alcohol ethoxylate             | No data available                    |   |        |                       | Potential for mobility in soil, soluble in water |
| cocoamidopropyl betaine hydrogenated | No data available                    |   |        |                       | Potential for mobility in soil, soluble in water |

#### 12.5 Results of PBT and vPvB assessment

Substances that fulfill the criteria for PBT/vPvB, if any, are listed in section 3.

#### 12.6 Other adverse effects

No other adverse effects known.

# SECTION 13: Disposal considerations

| The concentrated contents or contaminated packaging should be disposed of by a certified handler<br>or according to the site permit. Release of waste to sewers is discouraged. The cleaned packaging<br>material is suitable for energy recovery or recycling in line with local legislation. |
|--|
| 20 01 29* - detergents containing dangerous substances.  |
| Dispose of observing national or local regulations.<br>Water, if necessary with cleaning agent.  |
|  |

# SECTION 14: Transport information

Land transport (ADR/RID), Sea transport (IMDG), Air transport (ICAO-TI / IATA-DGR)

14.1 UN number: Non-dangerous goods

14.2 UN proper shipping name: Non-dangerous goods

14.3 Transport hazard class(es): Non-dangerous goods

Class:

14.4 Packing group: Non-dangerous goods

14.5 Environmental hazards: Non-dangerous goods

14.6 Special precautions for user: Non-dangerous goods

14.7 Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code: The product is not transported in bulk tankers.

### **SECTION 15: Regulatory information**

#### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

#### EU regulations:

• Regulation (EC) No. 1907/2006 - REACH

• Regulation (EC) No 1272/2008 - CLP

#### Authorisations or restrictions (Regulation (EC) No 1907/2006, Title VII respectively Title VIII): Not applicable.

| Ingredients according to EC Detergents Regulation 648/2004         |     |
|--|-----|
| phosphates   | 5 - |
| anionic surfactants, non-ionic surfactants, amphoteric surfactants | <   |
| Formaldehyde   |     |

The surfactant(s) contained in this preparation complies(comply) with the biodegradability criteria as laid down in Regulation (EC) No. 648/2004 on detergents. Data to support this assertion are held at the disposal of the competent authorities of the Member States and will be made available to them, at their direct request or at the request of a detergent manufacturer.

#### 15.2 Chemical safety assessment

A chemical safety assessment has not been carried out on the mixture

# **SECTION 16: Other information**

The information in this document is based on our best present knowledge. However, it does not constitute a guarantee for any specific product features and does not establish a legally binding contract

SDS code: MS1003498

- 15 % 5 %

#### **Classification procedure**

The classification of the mixture is in general based on calculation methods using substance data, as required by Regulation (EC) No 1272/2008. If for certain classifications data on the mixture is available or for example bridging principles or weight of evidence can be used for classification, this will be indicated in the relevant sections of the Safety Data Sheet. See section 9 for physical chemical properties, section 11 for toxicological information and section 12 for ecological information.

#### Full text of the H and EUH phrases mentioned in section 3:

- H290 May be corrosive to metals.
  H302 Harmful if swallowed.
- H314 Causes severe skin burns and eye damage.
- H315 Causes skin irritation.
- H318 Causes serious eye damage.
- · H319 Causes serious eye irritation.
- H335 May cause respiratory irritation.
- H412 Harmful to aquatic life with long lasting effects.

- Abbreviations and acronyms: AISE The international Association for Soaps, Detergents and Maintenance Products DNEL Derived No Effect Limit
- EUH CLP Specific hazard statement
- PBT Persistent, Bioaccumulative and Toxic
- PNEC Predicted No Effect Concentration
- REACH number REACH registration number, without supplier specific part
   vPvB very Persistent and very Bioaccumulative
   ATE Acute Toxicity Estimate

End of Safety Data Sheet